

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
375nm	WSLS-375-100m-M-DC	0 ~ 100mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
395nm	WSLS-395-200m-M-DC	0 ~ 200mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-395-800m-M-DC	0 ~ 800mW	MMF	<400um	24VDC	FC/SMA	√	○	○	D-100
	WSLS-395-1200m-M-DC	0 ~ 1.2W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-200
	WSLS-395-003-M-DC	0 ~ 3W	MMF	<650um	24VDC	FC/SMA	×	○	○	D-300
	WSLS-395-005-M-DC	0 ~ 5W	MMF	<1000um	24VDC	FC/SMA	×	○	○	D-300
	WSLS-395-007-M-DC	0 ~ 7W	MMF	<1000um	24VDC	FC/SMA	×	○	○	D-300
400nm	WSLS-400-015m-4-DC	0 ~ 15mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-400-030m-4-DC	0 ~ 30mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-400-015m-PM-DC	0 ~ 15mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-400-030m-PM-DC	0 ~ 30mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-400-400m-M-DC	0 ~ 400mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-400-1500m-M-DC	0 ~ 1.5W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-100
	WSLS-400-003-M-DC	0 ~ 3W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-200
405nm	WSLS-405-015m-4-DC	0 ~ 15mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-405-030m-4-DC	0 ~ 30mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-405-050m-4-DC	0 ~ 50mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-405-015m-PM-DC	0 ~ 15mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-405-030m-PM-DC	0 ~ 30mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-405-050m-PM-DC	0 ~ 50mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-405-300m-M-DC	0 ~ 300mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-405-400m-M-DC	0 ~ 400mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-405-1500m-M-DC	0 ~ 1.5W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-100
	WSLS-405-003-M-DC	0 ~ 3W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-200
	WSLS-405-005-M-DC	0 ~ 5W	MMF	<650um	24VDC	FC/SMA	×	○	○	D-300
	WSLS-405-010-M-DC	0 ~ 10W	MMF	<1000um	24VDC	FC/SMA	×	○	○	D-300
	WSLS-405-015-M-DC	0 ~ 15W	MMF	<1000um	24VDC	FC/SMA	×	○	○	D-300
	WSLS-405-020-M-DC	0 ~ 20W	MMF	<1000um	24VDC	FC/SMA	×	○	○	D-300
410nm	WSLS-410-300m-M-DC	0 ~ 300mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-410-1200m-M-DC	0 ~ 1.2W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-100
	WSLS-410-002-M-DC	0 ~ 2W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-200
413nm	WSLS-413-300m-M-DC	0 ~ 300mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-413-1200m-M-DC	0 ~ 1.2W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-100
	WSLS-413-002-M-DC	0 ~ 2W	MMF	<400um	24VDC	FC/SMA	√	○	○	D-200
445nm	WSLS-445-030m-4-DC	0 ~ 30mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-445-040m-4-DC	0 ~ 40mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-445-050m-4-DC	0 ~ 50mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-445-030m-PM-DC	0 ~ 30mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100

Note: √:Yes, ○:Optional, ×:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
445nm	WSLS-445-040m-PM-DC	0 ~ 40mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-445-050m-PM-DC	0 ~ 50mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-445-050m-M-DC	0 ~ 50mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-445-001-M-DC	0 ~ 1W	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-445-3500m-M-DC	0 ~ 3.5W	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
465nm	WSLS-465-002-M-DC	0 ~ 2W	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
473nm	WSLS-473-010m-4-DC	0 ~ 10mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-473-020m-4-DC	0 ~ 20mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-473-010m-PM-DC	0 ~ 10mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-473-020m-PM-DC	0 ~ 20mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
480nm	WSLS-480-010m-4-DC	0 ~ 10mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-480-020m-4-DC	0 ~ 20mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-480-010m-PM-DC	0 ~ 10mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-480-020m-PM-DC	0 ~ 20mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
488nm	WSLS-488-010m-4-DC	0 ~ 10mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-488-020m-4-DC	0 ~ 20mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-488-030m-4-DC	0 ~ 30mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-488-010m-PM-DC	0 ~ 10mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-488-020m-PM-DC	0 ~ 20mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-488-030m-PM-DC	0 ~ 30mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-488-050m-M-DC	0 ~ 50mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-488-150m-M-DC	0 ~ 150mW	MMF	<300um	24VDC	FC/SMA	√	○	○	D-100
	WSLS-488-300m-M-DC	0 ~ 300mW	MMF	<400um	24VDC	FC/SMA	√	○	○	D-200
495nm	WSLS-495-010m-4-DC	0 ~ 10mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-495-020m-4-DC	0 ~ 20mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-495-010m-PM-DC	0 ~ 10mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-495-020m-PM-DC	0 ~ 20mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-495-050m-M-DC	0 ~ 50mW	MMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
505nm	WSLS-505-010m-4-DC	0 ~ 10mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-505-020m-4-DC	0 ~ 20mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-505-010m-PM-DC	0 ~ 10mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-505-020m-PM-DC	0 ~ 20mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-505-030m-M-DC	0 ~ 30mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-505-050m-M-DC	0 ~ 50mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
520nm	WSLS-520-010m-4-DC	0 ~ 10mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-520-020m-4-DC	0 ~ 20mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-520-030m-4-DC	0 ~ 30mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-520-040m-4-DC	0 ~ 40mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
520nm	WSLS-520-050m-4-DC	0 ~ 50mW	SMF	3um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-520-010m-PM-DC	0 ~ 10mW	PM	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-520-020m-PM-DC	0 ~ 20mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-520-030m-PM-DC	0 ~ 30mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-520-040m-PM-DC	0 ~ 40mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-520-050m-PM-DC	0 ~ 50mW	PMF	3um	7.5VDC	FC-APC	√	○	○	D-100
	WSLS-520-050m-M-DC	0 ~ 50mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-520-300m-M-DC	0 ~ 300mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-100
	WSLS-520-800m-M-DC	0 ~ 800mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
	WSLS-520-001-M-DC	0 ~ 1W	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
525nm	WSLS-525-800m-M-DC	0 ~ 800mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
	WSLS-525-001-M-DC	0 ~ 1W	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
532nm	WSLS-532-800m-M-DC	0 ~ 800mW	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
	WSLS-532-001-M-DC	0 ~ 1W	MMF	105um	7.5VDC	FC/SMA	√	○	○	D-200
633nm	WSLS-633-030m-4-DC	0~30mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-633-050m-4-DC	0~50mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-633-030m-PM-DC	0~30mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-633-050m-PM-DC	0~50mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
635nm	WSLS-635-030m-4-DC	0 ~ 30mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-050m-4-DC	0 ~ 50mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-080m-4-DC	0 ~ 80mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-100m-4-DC	0 ~ 100mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-030m-PM-DC	0 ~ 30mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-635-050m-PM-DC	0 ~ 50mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-635-080m-PM-DC	0 ~ 80mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-635-100m-PM-DC	0 ~ 100mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-635-100m-M-DC	0 ~ 100mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-300m-M-DC	0 ~ 300mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-001-M-DC	0 ~ 1W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-635-1800m-200M-DC	0 ~ 1.8W	MMF	200um	5VDC	FC/SMA	√	○	○	D-100
660nm	WSLS-660-050m-4-DC	0 ~ 50mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-660-080m-4-DC	0 ~ 80mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-660-100m-4-DC	0 ~ 100mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-660-030m-PM-DC	0 ~ 30mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-660-050m-PM-DC	0 ~ 50mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-660-080m-PM-DC	0 ~ 80mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-660-100m-PM-DC	0 ~ 100mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-660-100m-M-DC	0 ~ 100mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
660nm	WSLS-660-001-M-DC	0 ~ 1W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
670nm	WSLS-670-005m-4-DC	0 ~ 5mW	SMF	3um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-670-050m-4-DC	0 ~ 50mW	SMF	3um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-670-080m-4-DC	0 ~ 80mW	SMF	3um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-670-005m-PM-DC	0 ~ 5mW	PMF	3um	5VDC	FC-APC	√	○	○	D-100
	WSLS-670-050m-PM-DC	0 ~ 50mW	PMF	3um	5VDC	FC-APC	√	○	○	D-100
	WSLS-670-080m-PM-DC	0 ~ 80mW	PMF	3um	5VDC	FC-APC	√	○	○	D-100
	WSLS-670-100m-M-DC	0 ~ 100mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-670-150m-M-DC	0 ~ 150mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
685nm	WSLS-685-010m-4-DC	0 ~ 10mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-685-015m-4-DC	0 ~ 15mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-685-010m-PM-DC	0 ~ 10mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-685-015m-PM-DC	0 ~ 15mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-685-030m-M-DC	0 ~ 30mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
690nm	WSLS-690-700m-M-DC	0 ~ 700mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
705nm	WSLS-705-010m-4-DC	0 ~ 10mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-705-015m-4-DC	0 ~ 15mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-705-010m-PM-DC	0 ~ 10mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-705-015m-PM-DC	0 ~ 15mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
730nm	WSLS-730-010m-4-DC	0 ~ 10mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-730-015m-4-DC	0 ~ 15mW	SMF	4um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-730-010m-PM-DC	0 ~ 10mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
	WSLS-730-015m-PM-DC	0 ~ 15mW	PMF	4um	5VDC	FC-APC	√	○	○	D-100
760nm	WSLS-760-1500m-M-DC	0 ~ 1.5W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
770nm	WSLS-770-1500m-M-DC	0 ~ 1.5W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-770-004-M-DC	0 ~ 4W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
785nm	WSLS-785-030m-4-DC	0 ~ 30mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-785-040m-4-DC	0 ~ 40mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-785-030m-PM-DC	0 ~ 30mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-785-040m-PM-DC	0 ~ 40mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-785-050m-M-DC	0 ~ 50mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-785-1500m-M-DC	0 ~ 1.5W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-785-004-M-DC	0 ~ 4W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
808nm	WSLS-808-030m-4-DC	0 ~ 30mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-808-050m-4-DC	0 ~ 50mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-808-020m-PM-DC	0 ~ 20mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-808-040m-PM-DC	0 ~ 40mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-808-150m-M-DC	0 ~ 150mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
808nm	WSLS-808-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-808-004-M-DC	0 ~ 4W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
	WSLS-808-007-M-DC	0 ~ 7W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
830nm	WSLS-830-030m-4-DC	0 ~ 30mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-050m-4-DC	0 ~ 50mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-080m-4-DC	0 ~ 80mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-100m-4-DC	0 ~ 100mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-030m-PM-DC	0 ~ 30mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-830-050m-PM-DC	0 ~ 50mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-830-080m-PM-DC	0 ~ 80mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-830-100m-PM-DC	0 ~ 100mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-830-150m-M-DC	0 ~ 150mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-001-M-DC	0 ~ 1W	MMF	50um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-003-M-DC	0 ~ 3W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-830-004-M-DC	0 ~ 4W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
850nm	WSLS-850-030m-4-DC	0 ~ 30mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-850-050m-4-DC	0 ~ 50mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-850-070m-4-DC	0 ~ 70mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-850-030m-PM-DC	0 ~ 30mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-850-050m-PM-DC	0 ~ 50mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-850-070m-PM-DC	0 ~ 70mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-850-120m-M-DC	0 ~ 120mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
880nm	WSLS-880-001m-4-DC	0 ~ 1mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-880-001m-PM-DC	0 ~ 1mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-880-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-880-003-M-DC	0 ~ 3W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
905nm	WSLS-905-030m-4-DC	0 ~ 30mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-905-050m-4-DC	0 ~ 50mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-905-070m-4-DC	0 ~ 70mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-905-030m-PM-DC	0 ~ 30mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-905-050m-PM-DC	0 ~ 50mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-905-070m-PM-DC	0 ~ 70mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-905-120m-M-DC	0 ~ 120mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
915nm	WSLS-915-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-915-010-M-DC	0 ~ 10W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
940nm	WSLS-940-030m-4-DC	0 ~ 30mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-940-050m-4-DC	0 ~ 50mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-940-080m-4-DC	0 ~ 80mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
940nm	WSLS-940-100m-4-DC	0 ~ 100mW	SMF	5um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-940-030m-PM-DC	0 ~ 30mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-940-050m-PM-DC	0 ~ 50mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-940-080m-PM-DC	0 ~ 80mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-940-100m-PM-DC	0 ~ 100mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-940-200m-M-DC	0 ~ 200mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-940-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-940-010-M-DC	0 ~ 10W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
980nm	WSLS-980-010m-4-DC	0 ~ 10mW	SMF	6um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-980-100m-M-DC	0 ~ 100mW	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-980-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-980-010-M-DC	0 ~ 10W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1064nm	WSLS-1064-010m-4-DC	0 ~ 10mW	SMF	6um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1064-030m-4-DC	0 ~ 30mW	SMF	6um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1064-050m-4-DC	0 ~ 50mW	SMF	6um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1064-010m-PM-DC	0 ~ 10mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1064-030m-PM-DC	0 ~ 30mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1064-050m-PM-DC	0 ~ 50mW	PMF	5um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1064-001-M-DC	0 ~ 1W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1064-008-M-DC	0 ~ 8W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1270nm	WSLS-1270-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1270-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1270-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1270-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1290nm	WSLS-1290-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1290-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1290-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1290-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1310nm	WSLS-1310-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1310-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1310-015m-9-DC	0 ~ 15mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1310-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1310-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1310-015m-PM-DC	0 ~ 15mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1310-001-M-DC	0 ~ 1W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
1330nm	WSLS-1330-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1330-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1330-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
1330nm	WSLS-1330-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1330-001-M-DC	0 ~ 1W	MMF	105um	5VDC	FC/SMA	√	○	○	D-100
1350nm	WSLS-1350-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1350-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1350-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1350-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1370nm	WSLS-1370-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1370-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1370-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1370-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1390nm	WSLS-1390-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1390-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1390-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1390-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1410nm	WSLS-1410-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1410-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1410-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1410-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1430nm	WSLS-1430-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1430-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1430-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1430-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1450nm	WSLS-1450-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1450-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1450-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1450-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1450-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1470nm	WSLS-1470-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1470-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1470-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1470-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1470-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1490nm	WSLS-1490-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1490-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1490-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1490-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1490-002-M-DC	0 ~ 2W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1510nm	WSLS-1510-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100

Note: √:Yes, ○:Optional, x:No.

Wavelength	Part Number	Output Power Range	Fiber Type	Fiber Core	Supply Voltage	Connector	TEC	Analog	TTL	Case Model
1510nm	WSLS-1510-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1510-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1510-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1530nm	WSLS-1530-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1530-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1530-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1530-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1530-1500m-M-DC	0 ~ 1.5W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1550nm	WSLS-1550-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1550-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1550-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1550-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1550-1500m-M-DC	0 ~ 1.5W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1570nm	WSLS-1570-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1570-010m-9-DC	0 ~ 10mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1570-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1570-010m-PM-DC	0 ~ 10mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1570-1500m-M-DC	0 ~ 1.5W	MMF	105um	5VDC	FC/SMA	√	○	○	D-200
1590nm	WSLS-1590-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1590-008m-9-DC	0 ~ 8mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1590-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1590-008m-PM-DC	0 ~ 8mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1610nm	WSLS-1610-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1610-008m-9-DC	0 ~ 8mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1610-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1610-008m-PM-DC	0 ~ 8mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1625nm	WSLS-1625-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1625-008m-9-DC	0 ~ 8mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1625-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1625-008m-PM-DC	0 ~ 8mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1650nm	WSLS-1650-005m-9-DC	0 ~ 5mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1650-008m-9-DC	0 ~ 8mW	SMF	9um	5VDC	FC/SMA	√	○	○	D-100
	WSLS-1650-005m-PM-DC	0 ~ 5mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
	WSLS-1650-008m-PM-DC	0 ~ 8mW	PMF	9um	5VDC	FC-APC	√	○	○	D-100
1920nm	WSLS-1920-400m-M-DC	0 ~ 500mW	MMF	105um	12VDC	FC/SMA	√	○	○	D-200

Note: √:Yes, ○:Optional, ×:No.


D100 Package View :

131mm*90mm*33mm



D200 Package View :

180mm*130mm*35mm



D300 Package View :

304mm*224mm*207mm

